



2022 CASES WORKBOOK



Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In almost 15 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in 76 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.



Inside the R-Evolution

Revolution begins inside first: we start every day thinking different, exploring new ideas, projects and solutions. We work side by side in Italy, but we turn to people all around the world to inspire and get inspired.

We are involved in a constant revolution that goes hand in hand with the spirit of renewal of the brand. Our day-to-day commitment is to meet customer needs and personalize their journey. To do better, to offer the best.



Blue Bassano: new color, the best of us

Different color, new logo, refreshed style, best materials and services to look at the future. Same quality and warranty provided.

HPRC is synonymous of change: a sense of urgency around the need of **R-Evolution**.

Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: photography, industrial, military, nautical, police and many others. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion caused by chemical agents.



Outdoor | Diving | Marine




Imaging & Broadcasting



Industrial | Electronic | It



Military | Government



Fire | Emergency | Medical

Photo by Flavio Oliva

Highlights

STRUCTURAL AND VISUAL UPGRADING



New mechanics and engineering of the short sides which provide more resistance to the shell, greater light-weight and improved flexibility.

Refresh of the external surface with a wrinkle effect to the smoothed parts. A new professional and essential design which upgrades the aesthetic while improving the mechanical properties of the shell.

New Name Plate: larger in dimensions, more shock-resistant and refreshed in design.

ALL TERRAIN WHEELS SYSTEM



- cutting-edge innovation for a great grip
- use in any area and different weather conditions, ensuring versatility
- high performance in wet and dry conditions
- sure-footedness in a wide range of fields (asphalt, sand, stones, snow, porphyry)
- rolls smoothly for hundreds of miles
- more stability and enhanced safety
- easy wheels replacement
- increased wheels durability



DRYKEEPER

Protect your gear from moisture

Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



LIZARD PATT

A revolutionary ergonomic handle, made of PP and SEBS material, which provides:

- high quality and secure grip, even in low temperatures and wet conditions
- no-slip for better control and safety, also in the presence of oils, grease and liquids
- greater level of comfort
- optimal handling
- scratch protection
- strengthened resistance
- long durability



SERVICES



Custom Laser Design

Custom Laser Design

HPRC CUSTOM LASER DESIGN is the new HPRC service born to offer endless possibilities to customize and add value to your case. No minimum order quantity. Technical support, graphic development and fast turnaround.



Business Solution

Professional Custom Cases Solution

Our staff is passionate about developing high-quality tailor-made solutions to meet all your requirements.

THE FOAM COMPANY
BASSANO

The Foam Factory

Custom-designed foam inserts, no minimum quantity required.

Commitments

Our Commitments to you:

1. **UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2. **FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3. **LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4. **BE** incessantly innovative and competitive in the professional cases market.

HPRC: innovation, technology and design.



Most of hard watertight cases are made in standard pp: our r&d department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins.

Ttx01® allows to produce cases which are lighter in weight and stronger in robustness.

The special mix we added makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On the top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c).

Do you want to know more?
Please contact our technical team: tech@hprc.lt



Body: TTX01® hardware: steel



Wheels: PA66+TPU



Handle: PP+SEBS
Automatic Purge Valve



Extensible handle: ALU + SEBS



Latches: PA + GF



Internal O-ring. Made of EPDM



HPRC life time warranty: HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.



Airex is the automatic purge valve that is auto press release adjusted to changing environments automatically.

The attention and respect toward the environment and the commitment to an eco-sustainable future are important values for HPRC

Our commitment starts from the design phase of the product, and involves all the production stages including the management of the impact of the product's end of life. All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are indeed reintegrated in the production cycle. The high resistance of the patented material ttx01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production

 we case in
green.

and distribution. The constant quest for suppliers complying with iso 14000 or emas certification and which are geographically close to our company is a contribute to reduce the environmental impact and represents a challenge in a world where firms usually aim only for low price suppliers not considering their possible higher environmental impact.
Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

Standard cases

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* CUBED FOAM



* EMPTY



* SOFT PADDED OPEN DECK + DIVIDERS



* INTERIOR BAG



* SECOND SKIN



*PANEL FRAME MOUNTING SYSTEM AVAILABLE

377

Oem cases

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



Custom fit cases

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizer, extra working on the cases shell (holes, external applications) keeping the water tightness.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



CUSTOMIZED LAYOUT

We give customers different equipment layouts options in order to optimize space and handiness.



CUSTOMIZED COVERS

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



SHELL CUSTOMIZATION

HPRC customization service also provides shell customization, including holes for external connections. HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polyethylene foams are available in various densities (Kg/m³), resistance to compression (kPa) and resistance to different temperatures ranges (°C). These foams, produced with water cutting technology, guarantee a good protection and allow a wide range of customizations.



MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.

HPRC 1100



TECHNICAL FEATURES

Dimension:

internal dimension 57x58x25,5(mm) - 2.24x2.28x1.00(in)
external dimension 69x80x32(mm) - 2.72x3.15x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

lt0,1

Weight:

empty: 0,04kg - 0.09lbs

available empty or with memory card storage


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* memory card case



* empty case



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
W
wheeled

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - **max 4 of SD cards**
 - **2 of XQD cards**
 - **2 of CF cards**
- Full/empty indicator



Both models with our trademark
“Full – Empty” switch: just flip the arrow towards
the desired E-F position and get straight access
to your cards.



TECHNICAL FEATURES

Dimension:

internal dimension 116,1x67,6x25,6(mm) - 4.57x2.66x1(in)
external dimension 127,5x90x32(mm) - 5.02x3.54x1.26(in)

lid: 12,8(mm) - 0.50(in) bottom: 12,7(mm) - 0.50(in)

lt0,2

Weight:

empty: 0,09kg - 0.19lbs

available empty or with memory card storage


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* memory card case



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
- **8 of SD cards**
- **4 of XQD cards**
- **4 of CF cards**
- Full/empty indicator



HPRC 1400



TECHNICAL FEATURES

Dimension:

internal dimension 180x110x40(mm) - 7.08x4.33x1.57(in)
external dimension 200,3x142,4x48(mm) - 7.89x5.61x1.89(in)

lid: 20(mm) - 0.78(in) bottom: 20(mm) - 0.78(in)

lt0,3

Weight:

empty: 0,26kg - 0,57lbs
available empty or with cubed foam


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* empty



* cubed foam



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
W
Wheeled

Bull
Power

HPRC 2100



TECHNICAL FEATURES

Dimension:

internal dimension 214,5x150,5x94,4(mm) - 8.44x5.93x3.72(in)
external dimension 235,5x201,2x110,4(mm) - 9.27x7.92x4.35(in)

lid: 18(mm) - 0.71(in) bottom: 76(mm) - 2.99(in)



Weight:

empty: 0,74kg - 1.63lbs
with cubed foam: 0,84kg - 1.85lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2100 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2100 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-001 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 236x182x108(mm) - 9.29x7.17x4.25(in)
external dimension 258x244,3x123,3(mm) - 10.16x9.62x4.85(in)

lid: 29(mm) - 1.14(in) bottom: 79(mm) - 3.11(in)



Weight:

empty: 0,87kg - 1.92lbs
with cubed foam: 1,08kg - 2.38lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2200 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-002 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 236x182x155(mm) - 9.29x7.17x6.10(in)
external dimension 258x230x170(mm) - 10.16x9.06x6.69(in)

lid: 29(mm) - 1.14(in) bottom: 126(mm) - 4.96(in)



Weight:

empty: 1,00kg - 2.20lbs
with cubed foam: 1,35kg - 2.97lbs

Temperature rating:

Minimum	Maximum
-40°C	-40°F
	+80°C +176°F

Colors:

Black




* cubed foam




* interior bag

TECHNICAL DRAWING



EXTERNAL DIMENSION



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2250 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2250 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-002 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 305,7x232,4x137,5(mm) - 12.04x9.15x5.41 (in)
external dimension 334,6x303x155,2(mm) - 13.17x11.93x6.11(in)

lid: 31(mm) - 1.22(in) bottom: 106(mm) - 4.17(in)



Weight:

empty: 1,75kg - 3.86lbs
with cubed foam: 1,90kg - 4.19lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2300 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPF-003 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR

HPRC 2350



TECHNICAL FEATURES

Dimension:

internal dimension 340x235x99(mm) - 13.39x9.25x3.90(in)
external dimension 365x293x115,5(mm) - 14.37x11.54x4.55(in)

lid: 29(mm) - 1.14(in) bottom: 70(mm) - 2.75(in)

Weight:

empty: 1.49kg - 3.29lbs
with cubed foam: 1.66kg - 3.65lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



* cubed foam

ACCESSORIES

HPRCCF2350 CUBED FOAM USA:HPRCF0 (foam only)	HPRCSTRAP	HPRCL0708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





TECHNICAL FEATURES

Dimension:

internal dimension 377x263,9x150,8(mm) - 14.84x10.39x5.94(in)
external dimension 402X330,5X169,2(mm) - 15.83x13.01x6.66(in)

lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)

Weight:

empty: 2,23kg - 4.92lbs
with cubed foam: 2,58kg - 5.69lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Ferrari red - Electric blue



TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2400 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2400 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2400 LID ORGANIZER	HPRCPF-004 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR

HPRC 2460



TECHNICAL FEATURES

Dimension:

internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)
external dimension 435x377,8x193(mm) - 17.13x14.87x7.60(in)

H21.5

lid: 70(mm) - 2.76(in) bottom: 105(mm) - 4.14(in)

Weight:

empty: 2,55kg - 5.62lbs
with cubed foam: 3,14kg - 6.92lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB2460 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2460 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2460 LID ORGANIZER	HPRCPF-005 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 449,8x322,9x174,9(mm) - 17.71x12.71x6.89(in)
external dimension 478,1x389,4x194(mm) - 18.82x15.33x7.64(in)

lid: 46(mm) - 1.81(in) bottom: 129(mm) - 5.08(in)



Weight:

empty: 3,08kg - 6.79lbs
with cubed foam: 3,71kg - 8.18lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam

* interior bag

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2500 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCBAG2500 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2500 LID ORGANIZER	HPRCPF-006 PANEL FRAME (panel not included)	HPRCSFD2500 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

HPRC 2530



TECHNICAL FEATURES

Dimension:

internal dimension 513x288x132(mm) - 20.20x11.34x5.20(in)
external dimension 540x350x153(mm) - 21.26x13.78x6.02(in)

lid: 46(mm) - 1.81(in) bottom: 86(mm) - 3.25(in)

It19

Weight:

empty: 3,20kg - 7.05lbs
with cubed foam: 3,26kg - 7.19lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W
volume in litres
wheeled

ACCESSORIES

HPRCCUB2530 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCORG2530 LID ORGANIZER	HPRCSFD2530 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

PRADA

PRADA



HPRC 2550W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 513x288x200(mm) - 20.19x11.34x7.87(in)
external dimension 549x346x236(mm) - 21.61x13.62x9.29(in)

lid: 48(mm) - 1.88(in) bottom: 152(mm) - 5.98(in)



Weight:

empty: 4.82kg - 10.63lbs
with cubed foam: 5.51kg - 12.15lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue - Gravel Grey

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2550W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2550W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG-004 LID ORGANIZER	HPRCSSK2550W SECOND SKIN	DRYKEEPER ZAC-DRYKPR	HPRCPF-006 PANEL FRAME (panel not included)



TECHNICAL FEATURES

Dimension:

internal dimension 390x310x89(mm) - 15.35x12.20x3.50(in)
external dimension 411x364.8x110(mm) - 16.18x14.36x4.33(in)

lid: 44(mm) - 1.73(in) bottom: 45(mm) - 1.77(in)

Weight:

empty: 2,40kg - 5.29lbs
with cubed foam: 2,57kg - 5.67lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:


Black



TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2580 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO708TSA PADLOCK - TSA	HPRCSTRAP	HPRCORG2580 LID ORGANIZER	DRYKEEPER ZAC-DRYKPR

HPRC 2600



TECHNICAL FEATURES

Dimension:

internal dimension 482,4x358,3x198,1(mm) - 18.99x14.10x7.80(in)
external dimension 543,4x426,8x218,1(mm) - 21.39x16.8x8.59(in)

lid: 46(mm) - 1.81(in) bottom: 152(mm) - 5.98(in)

lit34

Weight:

empty: 4,25kg - 9.37lbs
with cubed foam: 5,05kg - 11.13lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Ferrari red - Electric blue

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2600 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCBAG2600 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2600 LID ORGANIZER	HPRCPF-007 PANEL FRAME (panel not included)	HPRCSSK2600 SECOND SKIN

HPRC 2600W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 482,4x358,3x217,6(mm) - 18.99x14.1x8.57(in)
external dimension 546,9x426,8x250,7(mm) - 21.53x16.8x9.87(in)

lid: 46(mm) - 1.81(in) bottom: 172(mm) - 6.77(in)



Weight:

empty: 6,05kg - 13.34lbs
with cubed foam: 6,97kg - 15.37lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black - Orange - Electric blue - Gravel Grey

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF
INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2600W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA
PADLOCK - TSA

DRYKEEPER
ZAC-DRYKPR

HPRCBAG600W
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG2600W
LID ORGANIZER

HPRCPF-007
PANEL FRAME
(panel not included)

HPRCSSK2600W
SECOND SKIN



HPRC 2700



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x205(mm) - 21.85x18.07x8.07(in)
external dimension 617x525x227(mm) - 24.29x20.67x8.94(in)

lid: 45(mm) - 1.77(in) bottom: 160(mm) - 6.29(in)

lt52

Weight:

empty: 5,55kg - 12.24lbs
with cubed foam: 6,71kg - 14.79lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB2700 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2700 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2700 LID ORGANIZER	HPRCPF-008 PANEL FRAME (panel not included)	DRYKEEPER ZAC-DRYKPR

HPRC 2700W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 554,7x458,7x246(mm) - 21.84x18.06x9.69(in)
external dimension 617,5x527,3x279,6(mm) - 24.31x20.76x11.0(in)

lid: 45(mm) - 1.77(in) bottom: 201(mm) - 7.91(in)



Weight:

empty: 7,75kg - 17.09lbs
with cubed foam: 9,07kg - 19.99lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Gravel Grey

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2700W CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR	HPRCBAG2700W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2700W LID ORGANIZER	HPRCSSK2700W SECOND SKIN	HPRCPF-008 PANEL FRAME (panel not included)

HPRC 2710



TECHNICAL FEATURES

Dimension:

internal dimension 555x459x256(mm) - 21.85x18.07x10.08(in)
external dimension 617x525x280(mm) - 24.29x20.67x11.02(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)



Weight:

empty: 6.56kg - 14.46lbs
with cubed foam: 7,96kg - 17.55

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black





* cubed foam

ACCESSORIES

HPRCCUB2710 CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCPF-008 PANEL FRAME (panel not included)	HPRCORG2710 LID ORGANIZER	DRYKEEPER ZAC-DRYKPR

TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



HPRC 2730W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 503x459x316(mm) - 19.80x18.07x12.44(in)
external dimension 616,9x531x349,6(mm) - 24.29x20.91x13.76(in)

lid: 45(mm) - 1.77(in) bottom: 269(mm) - 10.59(in)

lit72

W

Weight:

empty: 8,41kg - 18.54lbs
with cubed foam: 10,43kg - 22.99lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W
wheeled

ACCESSORIES

HPRCCUB2730W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG2730W INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2730W LID ORGANIZER	HPRCSFD2730W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	DRYKEEPER ZAC-DRYKPR

HPRC 2745W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 771x401x247(mm) - 30.35x15.78x9.72 (in)
external dimension 822x452x294(mm) - 32.36x17.79x11.57 (in)

lid: 46(mm) - 1.81(in) bottom:201 (mm) - 7.91(in)

Weight:

empty: 7,38kg - 16.27lbs
with cubed foam: 9,10kg - 20.06

Temperature rating:


Minimum	Maximum
-40°C	+80°C
-40°F	+176°F

Colors:


Black, Gravel Grey



TECHNICAL DRAWING



EXTERNAL DIMENSION



* empty



* cubed foam



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2745W
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA
PADLOCK - TSA



HPRCSSK2745W
SECOND SKIN



DRYKEEPER
ZAC-DRYKPR





HPRC 2760W



When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



HPRC 2760W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 690x450x301(mm) - 27.16x17.72x11.85(in)
external dimension 750x511x329(mm) - 29.53x20.12x12.95(in)

lid: 50(mm) - 1.97(in) bottom: 250(mm) - 9.84(in)



Weight:

empty: 8,93kg - 19.69lbs
with cubed foam: 10,72kg - 23.63lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB2760W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA
PADLOCK - TSA

HPRCBAG2760W
Interior bag
USA:HPRCIC (internal case)

HPRCSFD2760W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)

DRYKEEPER
ZAC-DRYKPR



HPRC 2780W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 748,6x524,6x363,3(mm) - 29.47x20.65x14.3(in)
external dimension 814x586,5x387,7(mm) - 32.05x23.09x15.27(in)

lid: 73(mm) - 2.87(in) bottom: 290 (mm) - 11.42 (in)

lit142
W

Weight:

empty: 12,0kg - 26.46lbs
with cubed foam: 16,18kg - 35.67lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W
wheeled

ACCESSORIES

HPRCCUB2780W
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA
PADLOCK - TSA



HPRCBAG2780W
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG2780W
LID ORGANIZER



HPRCSFD2780W SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)



DRYKEEPER
ZAC-DRYKPR



HPRC 2800W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 748,6x524,6x454,6(mm) - 29.47x20.65x17.9(in)
external dimension 813,3x586,5x480,5(mm) - 32.02x23.09x18.92(in)

lid: 73(mm) - 2.87(in) bottom: 382(mm) - 15.03(in)

lit179

W

Weight:

empty: 13,25kg - 29.22lbs
with cubed foam: 17,43kg - 38.43lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERPROOF INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB2800W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCL0708TSA
PADLOCK - TSA

HPRCBAG2800W
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCORG2800W
LID ORGANIZER

DRYKEEPER
ZAC-DRYKPR



HPRC 3500



TECHNICAL FEATURES

Dimension:

internal dimension 433,5x319,3x168,8(mm) - 17.07x12.57x6.65(in)
external dimension 497,9x370,3x184,9(mm) - 19.6x14.58x7.28(in)



lid: 72(mm) - 2.83(in) bottom: 97(mm) - 3.81(in)

Weight:

empty: 3,00kg - 6.61lbs
with cubed foam: 3,55kg - 7.82lbs

Temperature rating:

Minimum	Maximum
-40°C	-40°F
+80°C	+176°F

Colors:

Black




* cubed foam



* interior bag

TECHNICAL DRAWING



ACCESSORIES

HPRCCUB3500
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCBAG3500
INTERIOR BAG
USA:HPRCIC (internal case)



HPRCORG3500
LID ORGANIZER



DRYKEEPER
ZAC-DRYKPR



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41



TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





TECHNICAL FEATURES

Dimension:

internal dimension 479x354x194(mm) - 18.86x13.94x7.64(in)
external dimension 542x402x220(mm) - 21.34x15.83x8.66(in)

lid: 80(mm) - 3.15(in) bottom: 114(mm) - 4.48(in)

28.5

Weight:

empty: 3,22kg - 7.10lbs
with cubed foam: 3,85kg - 8.49lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



* empty



* cubed foam



* second skin



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

W
volume in litres
wheeled

ACCESSORIES

HPRCCUB3600
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA
PADLOCK - TSA

HPRCSSK3600
SECOND SKIN

DRYKEEPER
ZAC-DRYKPR



HPRC 4050

SHOULDER
CASE



TECHNICAL FEATURES

Dimension:

internal dimension 261x171x220(mm) - 10.28x6.73x8.66(in)
external dimension 284x223x260(mm) - 11.18x8.78x10.24(in)

Internal dimension:

Lid: 46(mm) - 1.81(in) - under handle: 24(mm) - 0.94(in)
Bottom: 196(mm) - 7.71(in)

Weight:

empty: 1,82kg - 4.01lbs
with cubed foam: 1,85kg - 4.07lbs

Temperature rating:



Minimum -40°C Maximum +80°C
-40°F +176°F

Colors:

Black



TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4050 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSFD4050 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR

**SHOULDER
CASE**



TECHNICAL FEATURES

Dimension:

internal dimension 401x231x231(mm) - 15.79x9.09x9.09(in)
external dimension 426.3x284x276.5(mm) - 16.78x11.18x10.89(in)

Internal dimension:

Lid: 46(mm) - 1.81(in) - under handle: 18.5 (mm) - 0.73(in)
Bottom: 212,50(mm) - 8.37(in)

Weight:

empty: 2,64kg - 5.82lbs
with cubed foam: 3,27kg - 7.20lbs

Temperature rating:



Minimum -40°C -40°F Maximum +80°C +176°F

Colors:

Black



TECHNICAL DRAWING



EXTERNAL DIMENSION



* cubed foam

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB4100 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCSFD4100 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR

HPRC 4200

SHOULDER
CASE



TECHNICAL FEATURES

Dimension:

internal dimension 460x240x400(mm) - 18.11x9.45x15.75(in)
external dimension 500,4x293x443,5(mm) - 19.7x11.54x17.46(in)

lit 44

Internal dimension:

Lid: 66(mm) - 2.60(in) - under handle: 38.5 (mm) - 1.52(in)
Bottom: 361,50(mm) - 14.23(in)

Weight:

empty: 3,91kg - 8.62lbs
with cubed foam: 5,10kg - 11.24lbs

Temperature rating:

Minimum	Maximum
-40°F	+80°C
-40°F	+176°F

Colors:

Black




* cubed foam

ACCESSORIES

HPRCCUB4200 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCPADDEDSTRAP	HPRCPANELFRAME SUPPORT KIT	DRYKEEPER ZAC-DRYKPR

TECHNICAL DRAWING



EXTERNAL DIMENSION



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
W
wheeled



TECHNICAL FEATURES

Dimension:

internal dimension 580x320x309(mm) - 22.83x12.60x12.16(in)
external dimension 690x380x355,40(mm) - 27.16x14.96x13.99(in)

Internal dimension:

Lid: 80(mm) - 3.15(in) - under handle: 54(mm) - 2.13(in)
Bottom: 255(mm) - 10.04(in)

Weight:

empty: 6,50kg - 14.33lbs
with cubed foam: 7,96kg - 17.54lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F


Colors:

Black

lt62

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB4300
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA
PADLOCK - TSA

HPRCBAG4300
INTERIOR BAG
USA:HPRCIC (internal case)

HPRCSFD4300 SOFT PADDED
OPEN DECK + DIVIDERS USA:
HPRCDK (divider kit)

DRYKEEPER
ZAC-DRYKPR



HPRC 4300W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 580x320x299(mm) - 22.83x12.60x11.77(in)
external dimension 690x380x358,20(mm) - 27.16x14.96x14.10(in)

Internal dimension:

Lid: 80(mm) – 3.15(in) - under handle: 54(mm) – 2.13(in)
Bottom: 245(mm) – 9.65(in)

Weight:

empty: 7,30kg - 16.09lbs
with cubed foam: 8,76kg - 19.31lbs

Temperature rating:

Minimum	Maximum
-40°C	-40°F
+80°C	+176°F

Colors:


Black

lit62

W

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam

* interior bag

* soft padded open deck + dividers



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W
wheeled

ACCESSORIES

HPRCCUB4300W CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG4300W INTERIOR BAG USA:HPRCIC (internal case)	HPRCSFD4300W SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	DRYKEEPER ZAC-DRYKPR



TECHNICAL FEATURES

Dimension:

internal dimension 420x420x389(mm) - 16.54x16.54x15.31(in)
external dimension 482x481x437(mm) - 18.98x18.94x17.20(in)

Internal dimension:

Lid: 65(mm) - 2.56(in) - under handle: 33(mm) - 1.30(in)
Bottom: 356(mm) - 14(in)

Weight:

empty: 6,70kg - 14.77lbs
with cubed foam: 8,90kg - 19.62lbs

Temperature rating:

Minimum	Maximum
-40°C	+80°C
-40°F	+176°F

Colors:

Black

lit74



* cubed foam

ACCESSORIES

HPRCCUB4400
CUBED FOAM
USA:HPRCF0 (foam only)





HPRCL0708TSA
PADLOCK - TSA



HPRCKITW4400
wheel kit for 4400



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

volume in litres
W
wheeled

--	--	--

DRYKEEPER ZAC-DRYKPR

HPRCCUB4400 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCKITW4400 wheel kit for 4400	DRYKEEPER ZAC-DRYKPR

HPRC 4600W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 611x611x375(mm) - 24.05x24.05x14.76(in)
external dimension 670x677x418,5(mm) - 26.38x26.65x16.4(in)

lit129

W

lid: 85.5(mm) - 3.36(in) bottom: 289(mm) - 11.37(in)

Weight:

empty: 10,28kg - 22.66lbs
with cubed foam: 13,14kg - 28.97lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



* cubed foam

ACCESSORIES

HPRCCUB4600W
CUBED FOAM
USA:HPRCF0 (foam only)




HPRCL0708TSA
PADLOCK - TSA



DRYKEEPER
ZAC-DRYKPR



TECHNICAL DRAWING



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





HPRC 4700W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 508x301,4x497(mm) - 20.00x11.87x19.57(in)
external dimension 572x429x563,5(mm) - 22.52x16.89x22.19(in)

lit81
W

Internal dimension:

Lid: 49(mm) - 1.92(in) - under handle: 23(mm) - 0.91(in)
Bottom: 474(mm) - 18.66(in)

Weight:

empty: 11,73kg - 25.86lbs
with cubed foam: 14,84kg - 32.71lbs

Temperature rating:

Minimum	Maximum
-40°C	-40°F
+80°C	+176°F

Colors:

Black





* cubed foam



* interior bag

TECHNICAL DRAWING



ACCESSORIES

HPRCCUB4700W
CUBED FOAM
USA:HPRCF0 (foam only)



HPRCL0708TSA
PADLOCK - TSA



HPRCBAG4700W
Interior bag
USA:HPRCIC (internal case)



DRYKEEPER
ZAC-DRYKPR



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41



TEST
DROP
IMPACT
HANDLE
WATERPROOF
INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



HPRC 4800W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension 776x380x649(mm) - 30.55x14.96x25.55(in)

lit136
W

Internal dimension:

Lid: 85(mm) – 3.35(in) - under handle: 59(mm) – 2.32(in)
Bottom: 540(mm) – 21.25(in)

Weight:

empty: 10,00kg - 22.21lbs
with cubed foam: 14,10kg - 31.08lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black



* cubed foam

ACCESSORIES



HPRCCUB4800W
CUBED FOAM
USA:HPRCF0 (foam only)

HPRCL0708TSA
PADLOCK - TSA

DRYKEEPER
ZAC-DRYKPR



TECHNICAL DRAWING



EXTERNAL DIMENSION



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

lit136
W
volume in litres





**HPRC5200R.
THE ONLY PROTECTIVE CASE
THAT BECOMES BACKPACK IN SECONDS**

HPRC 5200

NEW



TECHNICAL FEATURES

Dimension:

internal dimension 772x302x210(mm) - 30.39x11.89x8.26 (in)
external dimension 802x355x246.7(mm) - 31.57x13.97x9.71 (in)
lid 62(mm) - 2.44(in) bottom: 164(mm) - 6.45(in)

Weight:

empty: 5.05kg – 11.1lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F




Colors:

Black

EXTERNAL DIMENSION



TECHNICAL DRAWINGS



INTERNAL LAYOUTS



* empty




* cubed foam



* second skin

ACCESSORIES

HPRCCUB5200
CUBED FOAM
USA:HPRCFO (foam only)



HPRCL0708TSA
PADLOCK - TSA



HPRCSSK5200
SECOND SKIN



DRYKEEPER
ZAC-DRYKPR



APPROVALS AND TESTS



ATA 300
IP67
STANAG 4280
DS 81-41

DROP
IMPACT
HANDLE
WATERPROOF
UV COLOR AND MATERIAL
PROTECTION

HPRC 5200R

NEW



TECHNICAL FEATURES

Dimension:

internal dimension 772x302x210(mm) - 30.39x11.89x8.26 (in)
 external dimension 802x355x246.7(mm) - 31.57x13.97x9.71 (in)
 lid 62(mm) - 2.44(in) bottom: 164(mm) - 6.45(in)

Weight:

empty: 5.05kg – 11.1lbs

Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F


Colors:

Black

EXTERNAL DIMENSION



TECHNICAL DRAWINGS



INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB5200 CUBED FOAM USA:HPRCF0 (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCSSK5200 SECOND SKIN	DRYKEEPER ZAC-DRYKPR	APPROVALS AND TESTS
				 <p>ATA 300 IP67 STANAG 4280 DS 81-41</p> <p>DROP IMPACT HANDLE WATERPROOF UV COLOR AND MATERIAL PROTECTION</p>



Photo by Phil Arntz

HPRC 5400W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 1140x350x160(mm) - 44.88x13.78x6.30(in)
external dimension 1203.7x418x181(mm) - 47.39x16.46x7.13(in)

lid: 45(mm) - 1.77(in) bottom: 115(mm) - 4.52(in)

lt64

W

Weight:

empty: 8,0kg - 17.64lbs
with cubed foam: 8,80kg - 19.40lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* interior bag



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION

* volume in litres
W wheeled

ACCESSORIES

HPRCCUB5400W CUBED FOAM USA:HPRCFO (foam only)	HPRCL0708TSA PADLOCK - TSA	HPRCBAG5400W INTERIOR BAG USA:HPRCIC (internal case)	DRYKEEPER ZAC-DRYKPR

HPRC 6200



TECHNICAL FEATURES

Dimension:

internal dimension 651x279x242,8(mm) - 25.63x10.98x9.56(in)
external dimension 711x335x301,3(mm) - 28x13.19x11.86(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

lt38

Weight:

empty: 3,96kg - 8.73lbs
with cubed foam: 5,80kg - 12.78lbs

Temperature rating:


Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* tri version



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB6200
CUBED FOAM
USA:HPRCFO (foam only)

HPRCTRI6200
for tripods

HPRCSTRAP

HPRCLO708TSA
PADLOCK - TSA

DRYKEEPER
ZAC-DRYKPR





TECHNICAL FEATURES

Dimension:

internal dimension 920,8x279x242,8(mm) - 36.25x10.98x9.56(in)
 external dimension 968x335x299,8(mm) - 38.11x13.19x11.8(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

Weight:

empty: 6,14kg - 13.54lbs
 with cubed foam: 6,95kg - 15.32lbs

Temperature rating:

Minimum Maximum
 -40°C -40°F +80°C +176°F

Colors:



Black

lit54

W

TECHNICAL DRAWING

EXTERNAL DIMENSION



* cubed foam



* tri version



APPROVALS
 ATA 300
 IP67
 STANAG 4280
 DS 81-41

TEST
 DROP
 IMPACT
 HANDLE
 WATERTIGHT INTEGRITY
 UV COLOR AND MATERIAL
 PROTECTION



ACCESSORIES

HPRCCUB6300W
 CUBED FOAM
 USA:HPRCF0 (foam only)

HPRCTRKIT
 for tripods

HPRCSTRAP

HPRCL0708TSA
 PADLOCK - TSA

DRYKEEPER
 ZAC-DRYKPR



HPRC 6400W

WHEELED



TECHNICAL FEATURES

Dimension:

internal dimension 1081x279x242,8(mm) - 42.56x10.98x9.56(in)
external dimension 1128x335x299,8(mm) - 44.41x13.19x11.8(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)



Weight:

empty: 6,44kg - 14.2lbs
with cubed foam: 7,84kg - 17.28lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam



* tri version

TECHNICAL DRAWING



EXTERNAL DIMENSION



APPROVALS
ATA 300
IP67
STANAG 4280
DS 81-41

TEST
DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION



ACCESSORIES

HPRCCUB6400W
CUBED FOAM
USA:HPRCFO (foam only)

HPRCTRKIT
for tripods

HPRCSTRAP

HPRCL0708TSA
PADLOCK - TSA

DRYKEEPER
ZAC-DRYKPR





TECHNICAL FEATURES

Dimension:

internal dimension 1280,7x279x242,8(mm) - 50.42x10.98x9.56(in)
 external dimension 1328x335x299,8(mm) - 52.28x13.19x11.8(in)

lid: 112(mm) - 4.41(in) bottom: 131(mm) - 5.15(in)

Weight:

empty: 7,2kg - 15.88lbs
 with cubed foam: 9,03kg - 19.90lbs

Temperature rating:

Minimum Maximum
 -40°C -40°F +80°C +176°F

Colors:

Black




* cubed foam



* tri version



TECHNICAL DRAWING



EXTERNAL DIMENSION



APPROVALS
 ATA 300
 IP67
 STANAG 4280
 DS 81-41

TEST
 DROP
 IMPACT
 HANDLE
 WATERTIGHT INTEGRITY
 UV COLOR AND MATERIAL
 PROTECTION



ACCESSORIES

HPRCCUB6500W CUBED FOAM USA:HPRCFO (foam only)	HPRCTRKIT for tripods	HPRCSTRAP	HPRCL0708TSA PADLOCK - TSA	DRYKEEPER ZAC-DRYKPR

HPRC 0500



TECHNICAL FEATURES

Dimension:

closed 394x280x27,5(mm) - 15.51x11.02x1.08(in)
open 464x350x27,5(mm) - 18.26x13.77x1.08(in)

Weight:

empty: 0,95kg - 2.09lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black

TECHNICAL DRAWING



EXTERNAL DIMENSION



* tripod, laptop and shelter not included



APPROVALS

ATA 300
IP67
STANAG 4280
DS 81-41

TEST

DROP
IMPACT
HANDLE
WATERTIGHT INTEGRITY
UV COLOR AND MATERIAL
PROTECTION





READY TO USE

EXHAUSTED

(TO BE REGENERATED)

PROTECT YOUR GEAR

Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



HOW TO USE

When the beads are dry, they appear orange in color, when saturated with moisture to about 15-20% by weight, the beads will change to a light blue color. Silica Gel's life is variable and it depends on the amount of moisture absorption (generally 2-4 months). To verify if it's still working, check the color: the orange Silica Gel turns to blue to indicate its complete exhaustion. Silica Gel can be regenerated by heating in the oven for 1-2 hours at 100°C (212°F). Do not leave outside, directly exposed to the sun, in an open environment.



TECHNICAL INFORMATION

Dessicant Material:	Disidry's Orange Indicating Silica Gel
Packaging Material:	Aluminium (Container) / Paper / Stickers
Aluminium Foil Thickness:	0,5 mm
External Diameter:	81 mm
Dry Keeper Thickness:	17 mm
Total Net Weight:	30 g
Internal Container Capacity:	50 gr (Silica Gel)
Holes:	196 (98 on each side)
Life:	Depending on use. Generally 2-4 months (once stickers removed).
Storage:	Do not leave outside, directly exposed to the sun, in open environment.

| HOW DO YOU
| LIKE GREY?



HPRC GRAVEL GREY

NOW AVAILABLE IN FOUR DIFFERENT SIZES.

HPRC2550W | HPRC2600W | HPRC2700W | HPRC2745W



technical chart

HPRC1100		TDX
	internal dimension 57x58x25,5(mm) 2.24x2.28x1.00(in)	
	external dimension 69x80x32(mm) 2.72x3.15x1.26(in)	

weight empty
empty: 0,04kg - 0.09lbs

Colors
Black

HPRC1300		TDX
	internal dimension 116,1x67,60x25,6(mm) 4.57x2.66x1.00(in)	
	external dimension 127,50x90x32(mm) 5.02x3.54x1.26(in)	

weight empty
empty: 0,09kg - 0.19lbs

Colors
Black

HPRC1400		TDX
	internal dimension 180x110x40(mm) 7.08x4.33x1.57(in)	
	external dimension 200,30x142,40x48(mm) 7.89x5.61x1.89(in)	

weight empty
empty: 0.26kg - 0.57lbs

Colors
Black

HPRC2100		TDX
	internal dimension 214,5x150,5x94,4(mm) 8.44x5.93x3.72(in)	
	external dimension 235,50x201,20x110,40(mm) 9.27x7.92x4.35(in)	

weight empty
empty: 0,74kg - 1.63lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2200		TDX
	internal dimension 236x182x108(mm) 9.29x7.17x4.25(in)	
	external dimension 258x244,3x123,3(mm) 10.16x9.62x4.85(in)	

weight empty
empty: 0,87kg - 1.92lbs

Colors
Black

HPRC2250		TDX
	internal dimension 236x182x155(mm) 9.29x7.17x6.10(in)	
	external dimension 258x230x170(mm) 10.16x9.06x6.69(in)	

weight empty
empty: 1,00kg - 2.20lbs

Colors
Black

HPRC2300		TDX
	internal dimension 305,7x232,4x137,5(mm) 12.04x9.15x5.41(in)	
	external dimension 334,6x303x155,2(mm) 13.17x11.93x6.11(in)	

weight empty
1,75kg - 3.86lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2350		TDX
	internal dimension 340x235x99(mm) 13.39x9.25x3.90(in)	
	external dimension 365x293x115,50(mm) 14.37x11.54x4.55(in)	

weight empty
1.49kg - 3.29lbs

Colors
Black

HPRC2400		TDX
	internal dimension 377x263,9x150,8(mm) 14.84x10.39x5.94(in)	
	external dimension 402x330,5x169,2(mm) 15.83x13.01x6.66(in)	

weight empty
2,23kg - 4.92lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2460		TDX
	internal dimension 409x306x175(mm) 16.10x12.05x6.89(in)	
	external dimension 435x377,8x193(mm) 17.13x14.87x7.60(in)	

weight empty
2,55kg - 5.62lbs

Colors
Black

HPRC2500		TDX
	internal dimension 449,8x322,9x174,9(mm) 17.71x12.71x6.89(in)	
	external dimension 478,1x389,4x194(mm) 18.82x15.33x7.64(in)	

weight empty
3,08kg - 6.79lbs

Colors
Black - Orange - Ferrari red - Electric blue

HPRC2530		TDX
	internal dimension 513x288x132(mm) 20.20x11.34x5.20(in)	
	external dimension 540x350x153(mm) 21.26x13.78x6.02(in)	

weight empty
3,20kg - 7.05lbs

Colors
Black

technical chart

HPRC2550W



	internal dimension 513x288x200(mm) 20.19x11.34x7.87(in)
	external dimension 549x346x236(mm) 21.61x13.62x9.29(in)
	weight empty 4,82kg - 10.63lbs
	Colors Black - Orange - Ferrari red - Electric blue Gravel Grey

HPRC2580



	internal dimension 390x310x89(mm) 15.35x12.20x3.50(in)
	external dimension 411x364.8x110(mm) 16.18x14.36x4.33(in)
	weight empty 2,40kg - 5.29lbs
	Colors Black

HPRC2600



	internal dimension 482.4x358.3x198.1(mm) 18.99x14.1x7.8(in)
	external dimension 543.4x426.8x218.1(mm) 21.39x16.8x8.59(in)
	weight empty 4,25kg - 9.37lbs
	Colors Black - Orange - Ferrari red - Electric blue

HPRC2600W



	internal dimension 482.4x358.3x217.6(mm) 18.99x14.10x8.57(in)
	external dimension 546.9x426.8x250.7(mm) 21.53x16.8x9.87(in)
	weight empty 6,05kg - 13.34lbs
	Colors Black - Orange - Electric blue Gravel Grey

HPRC2700



	internal dimension 555x459x205(mm) 21.85x18.07x8.07(in)
	external dimension 617x525x227(mm) 24.29x20.67x8.94(in)
	weight empty 5,55kg - 12.24lbs
	Colors Black - Orange - Ferrari red

HPRC2700W



	internal dimension 554.7x458.7x246(mm) 21.84x18.06x9.69(in)
	external dimension 617.5x527.3x279.6(mm) 24.31x20.76x11.0(in)
	weight empty 7,75kg - 17.09lbs
	Colors Black - Orange - Ferrari red - Gravel Grey

HPRC2710



	internal dimension 555x459x256(mm) 21.85x18.07x10.08(in)
	external dimension 617x525x280(mm) 24.29x20.67x11.02(in)
	weight empty 6.55kg - 14.46lbs
	Colors Black

HPRC2730W



	internal dimension 503x459x316(mm) 19.80x18.07x12.44(in)
	external dimension 616.9x531x349.6(mm) 24.29x20.91x13.76(in)
	weight empty 8,41kg - 18.54lbs
	Colors Black

HPRC2745W



	internal dimension 771x401x247(mm) 30.35x15.78x9.72 (in)
	external dimension 822x452x294(mm) 32.36x17.79x11.57 (in)
	weight empty 7.38kg - 16.27lbs
	Colors Black, Gravel Grey

HPRC2760W



	internal dimension 690x450x301(mm) 27.16x17.72x11.85(in)
	external dimension 750x511x329(mm) 29.53x20.12x12.95(in)
	weight empty 8,93kg - 19.69lbs
	Colors Black

HPRC2780W



	internal dimension 748.6x524.6x363.3(mm) 29.47x20.65x14.3(in)
	external dimension 814x586.5x387.7(mm) 32.05x23.09x15.27(in)
	weight empty 12,0kg - 26.46lbs
	Colors Black

HPRC2800W



	internal dimension 748.6x524.6x454.6(mm) 29.47x20.65x17.90(in)
	external dimension 813.3x586.5x480.5(mm) 32.02x23.9x18.92(in)
	weight empty 13,25kg - 29.22lbs
	Colors Black

technical chart

HPRC3500		TDX
	internal dimension 433,5x319,3x168,8(mm) 17.07x12.57x6.65(in)	
	external dimension 497,9x370,3x184,9(mm) 19.60x14.58x7.28(in)	
	weight empty 3,00kg - 6.61lbs	
	Colors Black	

HPRC3600		TDX
	internal dimension 479x354x194(mm) 18.86x13.94x7.64(in)	
	external dimension 542x402x220(mm) 21.34x15.83x8.66(in)	
	weight empty 3,22kg - 7.10lbs	
	Colors Black	

HPRC4050		TDX
	internal dimension 261x171x220(mm) 10.28x6.73x8.66(in)	
	external dimension 284x223x260(mm) 11.18x8.78x10.24(in)	
	weight empty 1,82kg - 4.01lbs	
	Colors Black	

HPRC4100		TDX
	internal dimension 401x231x231(mm) 15.79x9.09x9.09(in)	
	external dimension 426,3x284x276,5(mm) 16.78x11.18x10.89(in)	
	weight empty 2,64kg - 5.82lbs	
	Colors Black	

HPRC4200		TDX
	internal dimension 460x240x400(mm) 18.11x9.45x15.75(in)	
	external dimension 500,4x293x443,5(mm) 19.7x11.54x17.46(in)	
	weight empty 3,91kg - 8.62lbs	
	Colors Black	

HPRC4300		TDX
	internal dimension 580x320x309(mm) 22.83x12.60x12.16(in)	
	external dimension 690x380x355,4(mm) 27.16x14.96x13.99(in)	
	weight empty 6,50kg - 14.33lbs	
	Colors Black	

HPRC4300W		TDX
	internal dimension 580x320x299(mm) 22.83x12.60x11.77(in)	
	external dimension 690x380x358,2(mm) 27.16x14.96x14.1(in)	
	weight empty 7,30kg - 16.09lbs	
	Colors Black	

HPRC4400		TDX
	internal dimension 420x420x389(mm) 16.54x16.54x15.31(in)	
	external dimension 482x481x437(mm) 18.98x18.94x17.2(in)	
	weight empty 6,70kg - 14.77lbs	
	Colors Black	

HPRC4600W		TDX
	internal dimension 611x611x375(mm) 24.05x24.05x14.76(in)	
	external dimension 670x677x418.5(mm) 26.38x26.65x16.4(in)	
	weight empty 10,28kg - 22.66lbs	
	Colors Black	

HPRC4700W		TDX
	internal dimension 508x301,4x497(mm) 20.00x11.87x19.57(in)	
	external dimension 572x429x563,5(mm) 22.52x16.89x22.19(in)	
	weight empty 11,73kg - 25.86lbs	
	Colors Black	

HPRC4800W		TDX
	internal dimension 720x320x600(mm) 28.34x12.60x23.62(in)	
	external dimension 776x380x649(mm) 30.55x14.96x25.55(in)	
	weight empty 10,00kg - 22.21lbs	
	Colors Black	

HPRC5200		TDX
	internal dimension 772x302x210(mm) 30.39x11.89x8.26 (in)	
	external dimension 802x355x246,7(mm) 31.57x13.97x9,71 (in)	
	weight empty 5.05kg - 11.1lbs	
	Colors Black	

NEW

HPRC5200R



internal dimension
772x302x210(mm)
30.39x11.89x8.26 (in)



external dimension
802x355x246,7(mm)
31.57x13.97x9.71 (in)

weight empty
5.05kg - 11.1lbs

Colors
Black

NEW

HPRC6300W



internal dimension
920,8x279x242,8(mm)
36.25x10.98x9.56(in)



external dimension
968x335x299,8(mm)
38.11x13.19x11.8(in)

weight empty
6,14kg - 13.54lbs



Colors
Black

HPRC5400W



internal dimension
1140x350x160(mm)
44.88x13.78x6.30(in)



external dimension
1203,7x418x181(mm)
47.39x16.46x7.13(in)



weight empty
8kg - 17.64lbs

Colors
Black

HPRC6200



internal dimension
651x279x242,80(mm)
25.63x10.98x9.56(in)



external dimension
711x335x301,3(mm)
28x13.19x11.86(in)

weight empty
3,96kg - 8.73lbs

Colors
Black

HPRC0500



dimension closed
394x280x27,5(mm)
15.51x11.02x1.08(in)

dimension open
464x350x27,5(mm)
18.26x13.77x1.08(in)

weight empty
empty: 0,95kg - 2.09lbs

Colors
Black

HPRC6400W



internal dimension
1081x279x242,8(mm)
42.56x10.98x9.56(in)



external dimension
1128x335x299,8(mm)
44.41x13.19x11.8(in)



weight empty
6,44kg - 14.2lbs

Colors
Black

HPRC6500W



internal dimension
1280,7x279x242,8(mm)
50.42x10.98x9.56(in)



external dimension
1328x335x299,8(mm)
52.28x13.19x11.8(in)

weight empty
7,2kg - 15.88lbs

Colors
Black



Discover all our products

at: www.hprc.it

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to improve their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.

Special soft cases




HPRC also produces different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones of the market.



MADE IN ITALY

Find us on:     PlaberItalia
Channel



plaber[®]

Plaber s.r.l.
Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809 150

USA office and warehouse:

Plaber America Inc
110 Chestnut Ridge Rd. #314
Montvale, NJ 07645

Phone +1(201) 989-3353

www.hprc.it | www.hprcusa.com

info@hprc.it